

## CosmoDerma





Letter to the Editor

# Few passes of CO<sub>2</sub> laser to aid to remove foreign body under skin

Surajit Gorai

Department of Dermatology, Apollo Multispeciality Hospital, Kolkata, West Bengal, India.



## \*Corresponding author: Surajit Gorai, Department of Dermatology, Apollo Multispeciality Hospital, Kolkata, West Bengal, India.

drsurajit@drgorai.com

Received: 26 January 2023 Accepted: 15 February 2023 Published: 10 March 2023

DOI

10.25259/CSDM\_29\_2023

**Quick Response Code:** 



#### Dear Sir.

CO<sub>2</sub> laser (10600 nm) is considered gold standard for cutaneous resurfacing as it's absorption is well-suited for water in the skin tissue (70% of total skin tissue contains water). Before the advent of fractional ablation, thermal destruction of tissue was more and leads to scarring and fibrosis.[1] Now, with newer technology of fractional photothermolysis, we can have magical result with minimum side effects. Cutaneous resurfacing in India is mainly used for photodamaged and acne scarred skin. It is also used to remove many epidermal and dermal lesions.<sup>[2]</sup> Although satisfaction with CO<sub>2</sub> laser is high; yet, side effects are also not less. In 1st weeks, chance of postoperative erythema and infection is high. Chance of scarring, fibrosis, and depigmentation is also raised when increase fluence or higher concentration of fractional CO2 is used. Depth of penetration and dermal necrosis is also found to be high.[3]

Here, we report a case of traumatic scar where CO<sub>2</sub> laser used in an interesting way. One male patient of 29 years of age presented to us with a scar tissue of 6 years old over left forehead just above the eyebrow. On examination, it was an elevated, firm, and irregular scar tissue measuring 2.5 cm in largest diameter [Figure 1]. Hence, we decided to perform CO<sub>2</sub> laser (Lumenis, fractional CO<sub>2</sub>) with 17.5 j/cm<sup>2</sup>, concentration 5% in a single pass. After 2 sitting in 1 month



Figure 1: Old scar just above the left eyebrow.

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-Share Alike 4.0 License, which allows others to remix, transform, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms. ©2023 Published by Scientific Scholar on behalf of CosmoDerma



Figure 2: Foreign body just after 3<sup>rd</sup> CO<sub>2</sub> pass.



Figure 3: Foreign body (a broken glass piece).

gap, we have noticed a peculiar thing. On palpation, a foreign body like sensation was felt subcutaneously just above the eye brow. On the 3<sup>rd</sup> day of CO<sub>2</sub> laser, a broken glass piece came out on its own [Figures 2 and 3]. An old scar with foreign body, that was impalpable before, become prominent and superficial on resurfacing. By this, we probably avoided an ugly, less cosmetic incision unknowingly.

Few passes of CO2 laser may be helpful over a cosmetic area to remove a foreign body from scarred or granulomatous lesion.

#### **Authors contributions**

Dr. Surajit Gorai - Conceptualization, manuscript preparation, editing, submission.

## Declaration of patient consent

The authors certify that they have obtained all appropriate patient consent.

### Financial support and sponsorship

Nil.

#### Conflict of interest

There are no conflicts of interest.

## **REFERENCES**

- Alster TS, Hirsch RJ. Single-pass CO2 laser skin resurfacing of light and dark skin: Extended experience with 52 patients. J Cosmet Laser Ther 2003;5:39-42.
- Omi T, Numano K. The role of the CO2 laser and fractional CO<sub>2</sub> laser in dermatology. Laser Ther 2014;23:49.
- Campolmi P, Bonan P, Cannarozzo G, Bassi A, Bruscino N, Arunachalam M, et al. Highlights of thirty-year experience of CO2 laser use at the Florence (Italy) department of dermatology. Sci World J 2012;2012:546528.

How to cite this article: Gorai S. Few passes of CO2 laser to aid to remove foreign body under skin. CosmoDerma 2023;3:44.